

## Описание на ротаметры жидкости. Серия В

По вопросам продаж и поддержки обращайтесь: [aen@nt-rt.ru](mailto:aen@nt-rt.ru)

[www.lake.nt-rt.ru](http://www.lake.nt-rt.ru)

Архангельск (8182)63-90-72,  
Астана+7(7172)727-132,  
Белгород(4722)40-23-64,  
Брянск(4832)59-03-52,  
Владивосток(423)249-28-31,  
Волгоград(844)278-03-48,  
Вологда(8172)26-41-59,  
Воронеж(473)204-51-73,  
Екатеринбург(343)384-55-89,  
Иваново(4932)77-34-06,  
Ижевск(3412)26-03-58,  
Казань(843)206-01-48,  
Калининград(4012)72-03-81,  
Калуга(4842)92-23-67,  
Кемерово(3842)65-04-62,  
Киров(8332)68-02-04,

Краснодар(861)203-40-90,  
Красноярск(391)204-63-61,  
Курск(4712)77-13-04,  
Липецк(4742)52-20-81,  
Магнитогорск(3519)55-03-13,  
Москва(495)268-04-70,  
Мурманск(8152)59-64-93,  
НабережныеЧелны(8552)20-53-41,  
НижнийНовгород(831)429-08-12,  
Новокузнецк(3843)20-46-81,  
Новосибирск(383)227-86-73,  
Орел(4862)44-53-42,  
Оренбург(3532)37-68-04,  
Пенза(8412)22-31-16,  
Пермь(342)205-81-47,  
Ростов-на-Дону(863)308-18-15,

Рязань(4912)46-61-64,  
Самара(846)206-03-16,  
Санкт-Петербург(812)309-46-40,  
Саратов(845)249-38-78,  
Смоленск(4812)29-41-54,  
Сочи(862)225-72-31,  
Ставрополь(8652)20-65-13,  
Тверь(4822)63-31-35,  
Томск(3822)98-41-53,  
Тула(4872)74-02-29,  
Тюмень(3452)66-21-18,  
Ульяновск(8422)24-23-59,  
Уфа(347)229-48-12,  
Челябинск(351)202-03-61,  
Череповец(8202)49-02-64,  
Ярославль(4852)69-52-93,

# BASIC INLINE LIQUID VARIABLE AREA FLOW METER

Ideal for monitoring pump performance and media flows through hydraulic circuits and cooling systems.



## TECHNICAL SPECIFICATIONS

### Measuring Accuracy

±2.0% of full scale

### Repeatability

±1% of full scale

### Flow Measuring Range

0.1-150 GPM (0.5-550 LPM)

### Maximum Operating Pressure

Aluminum and brass meters: 3500 PSIG (240 Bar)

Stainless steel meters: 6000 PSIG (410 Bar)

### Maximum Operating Temperature

240°F (116°C) Note: for operation to 600°F (316°C), see our High Temperature Data sheet.

### Standard Calibration Fluids

Oil meters: DTE 25® @ 110°F (43°C), 0.873 sg

Water meters: tap water @ 70°F (21°C), 1.0 sg

### Filtration Requirements

74 micron filter or 200 mesh screen minimum

### Viscosity

Standard viscosities up to 110 cSt. For viscosities between 110 to 430 cSt contact factory.

DTE 25 is a registered trademark of Exxon Mobil.

## BENEFITS

### Choice of Materials

Select from aluminum, brass or stainless steel to meet system and liquid requirements.

### Unrestricted Mounting

Allows for horizontal, vertical or inverted installation and does not require straight plumbing on inlet or outlet.

### Superior Exterior Design

Weather-tight for use outdoors and/or on systems where wash downs are required.

### Rugged and Reliable

These meters are constructed with all metal pressure vessels that allow safe and permanent installation.

### High Pressure Operation

The magnetically coupled follower design allows operation to 6000 PSIG.

### Multiple Ports Available

Standard selection of NPT, SAE and BSPP ports reduces the amount of adapters required for installation.

## MATERIALS OF CONSTRUCTION (NON-WETTED COMPONENTS)

	Aluminum	Brass	Stainless Steel
Window Tube	Polycarbonate	Polycarbonate	Polycarbonate
Window Seals	Buna-N® (STD), PTFE	Buna-N® (STD), PTFE	Buna-N® (STD), PTFE

## MATERIALS OF CONSTRUCTION (WETTED COMPONENTS)

	Aluminum	Brass	Stainless Steel
Casing & End Ports	Anodized Aluminum	Brass	Stainless Steel
Seals	Buna-N® (STD), EPR, FKM or FFKM	Buna-N® (STD), EPR, FKM or FFKM	FKM with PTFE backup (STD), Buna-N®, EPR or FFKM
Transfer Magnet	PTFE coated Alnico	PTFE coated Alnico	PTFE coated Alnico
All other internal parts	Stainless Steel	Stainless Steel	Stainless Steel

Buna-N is a registered trademark of Chemische Werke Huls.

# BASIC INLINE LIQUID VARIABLE AREA FLOW METER

Ideal for monitoring pump performance and media flows through hydraulic circuits and cooling systems.

## PART NUMBER GUIDE

B     —       —         —        

**BASIC**

**PORT SIZE RANGE**

1/4" - 1/2" = 3

3/4" - 1" = 4

1-1/4 - 2" = 5

**MATERIAL**

Aluminum = A

Brass = B

Stainless Steel = S

**MAX. PRESSURE RATING**

3500 psig (liquids, aluminum & brass) = 6

6000 psig (liquids, stainless steel) = 7

**FLUID MEDIA**

Oil @ 0.873 specific gravity = H

Water @ 1.0 specific gravity = W

*Note: For special scales consult factory.*

**PORTING/THREAD TYPE**

(all female)

1/4" NPTF, dry seal	3 only	=	<span style="border: 1px solid black; padding: 2px;">S</span>
3/8" NPTF, dry seal	3 only	=	<span style="border: 1px solid black; padding: 2px;">A</span>
1/2" NPTF, dry seal	3 only	=	<span style="border: 1px solid black; padding: 2px;">B</span>
3/4" NPTF, dry seal	4 only	=	<span style="border: 1px solid black; padding: 2px;">C</span>
1" NPTF, dry seal	4 only	=	<span style="border: 1px solid black; padding: 2px;">D</span>
#6 SAE, O-ring seal	3 only	=	<span style="border: 1px solid black; padding: 2px;">E</span>
#8 SAE, O-ring seal	3 only	=	<span style="border: 1px solid black; padding: 2px;">F</span>
#10 SAE, O-ring seal	3 only	=	<span style="border: 1px solid black; padding: 2px;">G</span>
#12 SAE, O-ring seal	4 only	=	<span style="border: 1px solid black; padding: 2px;">H</span>
#16 SAE, O-ring seal	4 only	=	<span style="border: 1px solid black; padding: 2px;">J</span>
1-1/4" NPTF, dry seal	5 only	=	<span style="border: 1px solid black; padding: 2px;">K</span>
1-1/2" NPTF, dry seal	5 only	=	<span style="border: 1px solid black; padding: 2px;">L</span>
2" NPTF, dry seal	5 only	=	<span style="border: 1px solid black; padding: 2px;">M</span>
#20 SAE, O-ring seal	5 only	=	<span style="border: 1px solid black; padding: 2px;">N</span>
#24 SAE, O-ring seal	5 only	=	<span style="border: 1px solid black; padding: 2px;">P</span>
#32 SAE, O-ring seal	5 only	=	<span style="border: 1px solid black; padding: 2px;">Q</span>
1/4" BSPP	3 only	=	<span style="border: 1px solid black; padding: 2px;">&amp;</span>
3/8" BSPP	3 only	=	<span style="border: 1px solid black; padding: 2px;">R</span>
1/2" BSPP	3 only	=	<span style="border: 1px solid black; padding: 2px;">T</span>
3/4" BSPP	4 only	=	<span style="border: 1px solid black; padding: 2px;">U</span>
1" BSPP	4 only	=	<span style="border: 1px solid black; padding: 2px;">V</span>
1-1/4" BSPP	5 only	=	<span style="border: 1px solid black; padding: 2px;">W</span>
1-1/2" BSPP	5 only	=	<span style="border: 1px solid black; padding: 2px;">Y</span>
2" BSPP	5 only	=	<span style="border: 1px solid black; padding: 2px;">X</span>

*Note: SAE porting not available in Brass. Consult factory for SAE brass meter requirements.*

**SPECIAL SCALE/CUSTOM PRODUCT**

**OPTIONAL FLOW DIRECTIONS**

Standard Flow, Uni-Directional =    

Reverse Flow = R F


Bi-Directional Flow (For bi-directional flow refer to bi-directional data sheet. Please consult factory for availability and delivery time.)

**FLOW RANGES**

Liquid		Size	
0.1-1.0 GPM	0.5-4 LPM	3 only	= <span style="border: 1px solid black; padding: 2px;">0</span> <span style="border: 1px solid black; padding: 2px;">1</span>
0.2-2.0 GPM	1-8 LPM	3 & 4	= <span style="border: 1px solid black; padding: 2px;">0</span> <span style="border: 1px solid black; padding: 2px;">2</span>
0.5-5.0 GPM	2-19 LPM	3 & 4	= <span style="border: 1px solid black; padding: 2px;">0</span> <span style="border: 1px solid black; padding: 2px;">5</span>
1-10 GPM	5-37.5 LPM	3 & 4	= <span style="border: 1px solid black; padding: 2px;">1</span> <span style="border: 1px solid black; padding: 2px;">0</span>
1-15 GPM	5-55 LPM	3 & 4	= <span style="border: 1px solid black; padding: 2px;">1</span> <span style="border: 1px solid black; padding: 2px;">5</span>
2-20 GPM	10-75 LPM	4 only	= <span style="border: 1px solid black; padding: 2px;">2</span> <span style="border: 1px solid black; padding: 2px;">0</span>
2-25 GPM	10-95 LPM	4 & 5	= <span style="border: 1px solid black; padding: 2px;">2</span> <span style="border: 1px solid black; padding: 2px;">5</span>
4-30 GPM	15-115 LPM	4 only	= <span style="border: 1px solid black; padding: 2px;">3</span> <span style="border: 1px solid black; padding: 2px;">0</span>
4-40 GPM	20-150 LPM	4 only	= <span style="border: 1px solid black; padding: 2px;">4</span> <span style="border: 1px solid black; padding: 2px;">0</span>
6-50 GPM	20-190 LPM	4 & 5	= <span style="border: 1px solid black; padding: 2px;">5</span> <span style="border: 1px solid black; padding: 2px;">0</span>
6-75 GPM	30-280 LPM	5 only	= <span style="border: 1px solid black; padding: 2px;">7</span> <span style="border: 1px solid black; padding: 2px;">5</span>
10-100 GPM	50-375 LPM	5 only	= <span style="border: 1px solid black; padding: 2px;">8</span> <span style="border: 1px solid black; padding: 2px;">8</span>
25-150 GPM	100-550 LPM	5 only	= <span style="border: 1px solid black; padding: 2px;">9</span> <span style="border: 1px solid black; padding: 2px;">9</span>

## MECHANICAL - SIZE CODE

DIM	Series 3	Series 4	Series 5	Series 5 (2" port only)
A	1-7/8" (48mm)	2-3/8" (60 mm)	3-1/2" (90mm)	3-1/2" (90mm)
B	6-9/16" (167mm)	7-5/32" (182mm)	10-1/8" (258mm)	12-5/8" (322mm)





По вопросам продаж и поддержки обращайтесь: [aen@nt-rt.ru](mailto:aen@nt-rt.ru)

[www.lake.nt-rt.ru](http://www.lake.nt-rt.ru)

Архангельск (8182)63-90-72,  
Астана+7(7172)727-132,  
Белгород(4722)40-23-64,  
Брянск(4832)59-03-52,  
Владивосток(423)249-28-31,  
Волгоград(844)278-03-48,  
Вологда(8172)26-41-59,  
Воронеж(473)204-51-73,  
Екатеринбург(343)384-55-89,  
Иваново(4932)77-34-06,  
Ижевск(3412)26-03-58,  
Казань(843)206-01-48,  
Калининград(4012)72-03-81,  
Калуга(4842)92-23-67,  
Кемерово(3842)65-04-62,  
Киров(8332)68-02-04,

Краснодар(861)203-40-90,  
Красноярск(391)204-63-61,  
Курск(4712)77-13-04,  
Липецк(4742)52-20-81,  
Магнитогорск(3519)55-03-13,  
Москва(495)268-04-70,  
Мурманск(8152)59-64-93,  
НабережныеЧелны(8552)20-53-41,  
НижнийНовгород(831)429-08-12,  
Новокузнецк(3843)20-46-81,  
Новосибирск(383)227-86-73,  
Орел(4862)44-53-42,  
Оренбург(3532)37-68-04,  
Пенза(8412)22-31-16,  
Пермь(342)205-81-47,  
Ростов-на-Дону(863)308-18-15,

Рязань(4912)46-61-64,  
Самара(846)206-03-16,  
Санкт-Петербург(812)309-46-40,  
Саратов(845)249-38-78,  
Смоленск(4812)29-41-54,  
Сочи(862)225-72-31,  
Ставрополь(8652)20-65-13,  
Тверь(4822)63-31-35,  
Томск(3822)98-41-53,  
Тула(4872)74-02-29,  
Тюмень(3452)66-21-18,  
Ульяновск(8422)24-23-59,  
Уфа(347)229-48-12,  
Челябинск(351)202-03-61,  
Череповец(8202)49-02-64,  
Ярославль(4852)69-52-93,